

# SAFETY DATA SHEET

In accordance with 1907/2006 annex II 2015/830 and 1272/2008  
(All references to EU regulations and directives are abbreviated into only the numeric term)  
Issued 2020-08-20  
Version number 1.0



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name Lash & Brow Lifting

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cosmetics

### 1.3. Details of the supplier of the safety data sheet

Company Lilly Nails AB  
Stationsvägen 1 F  
435 37 Mölnlycke  
Sweden  
Telephone 031-298829  
E-mail order@lillynails.se

### 1.4. Emergency telephone number

Acute cases: Call 112, request poison information.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Acute toxicity (Category 4 oral), H302  
Corrosive (Category 1B), H314  
May cause an allergic skin reaction (Category 1), H317  
Irreversible Eye Effects (Category 1), H318  
Specific target organ toxicity - single exposure; May cause respiratory irritation (Category 3 resp), H335

## 2.2. Label elements

Hazard pictogram



|                          |   |
|--------------------------|---|
| Signal word              | Danger  |
| Hazard statements        |   |
| H302                     | Harmful if swallowed  |
| H314                     | Causes severe skin burns and eye damage   |
| H317                     | May cause an allergic skin reaction   |
| H335                     | May cause respiratory irritation  |
| Precautionary statements |   |
| P260                     | Do not breathe mist, vapours, or spray  |
| P280                     | Wear protective gloves, protective clothing and eye or face protection  |
| P301+P330+P331           | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting   |
| P303+P361+P353           | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower                           |
| P305+P351+P338           | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P310                     | Immediately call a doctor   |

## Supplemental hazard information

Contains: AMMONIUM MERCAPTOACETATE, 2-AMINOETHANOL

## 2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB  
The product is regulated by the EC Regulation 1223/2009 on cosmetic products.

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

| Constituent  | Classification  | Concentration |
|--|---|---------------|
| <b>AMMONIUM MERCAPTOACETATE</b>  |   |               |
| CAS No: 5421-46-5<br>EC No: 226-540-9  | Met Corr 1, Acute Tox <i>3oral</i> , Skin Sens 1; H290, H301, H317  | 5 %           |
| <b>2-AMINOETHANOL</b>  |   |               |
| CAS No: 141-43-5<br>EC No: 205-483-3<br>Index No: 603-030-00-8               | Acute Tox <i>4dermal</i> , Acute Tox <i>4oral</i> , Acute Tox <i>4vapour</i> , Skin Corr 1B; H312, H302, H332, H314 | 5 %           |
| <b>POLYETHYLENE GLYCOL MONOLEYL ETHER</b>                                    |   |               |
| CAS No: 9004-98-2<br>EC No: 500-017-8  | Eye Irrit 2; H319   | 1 %           |
| <b>AMMONIA ....%</b>   |   |               |
| CAS No: 1336-21-6<br>EC No: 215-647-6<br>Index No: 007-001-01-2              | Skin Corr 1B, Aquatic Acute 1; H314, H400   | 0.3 %         |
| <b>PENTASODIUM (CARBOXYLATOMETHYL)IMINO BIS(ETHYLENENITRILO)TETRAACETATE</b> |   |               |
| CAS No: 140-01-2<br>EC No: 205-391-3<br>Index No: 607-736-00-7               | Acute Tox <i>4dust-mist</i> , Repr 2, STOT RE 2; H332, H361, H373   | 0.2 %         |

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Generally

In case of concern, or if symptoms occur, call a doctor/physician.

Do not use mouth to mouth or mouth to nose resuscitation. Use a suitable device or apparatus to give artificial respiration if breathing has stopped.

#### Upon breathing in

Bring the injured person out into fresh air. Give artificial respiration if breathing has stopped. If breathing is difficult let trained personnel administer oxygen. Let the injured person rest in a warm place with fresh air and seek medical advice immediately.

#### Upon eye contact

Remove contact lenses immediately if possible.

Flush immediately with luke-warm water for 15 - 20 minutes with wide-open eyes. Transport the injured person to a hospital immediately.

Important! Also flush during transport to hospital (eye specialist).

#### Upon skin contact

Wash with large quantities of water (emergency shower) and seek medical assistance.

Remove contaminated clothing.

Wash contaminated clothing before reuse.

#### Upon ingestion

Rinse mouth out thoroughly first with water, then SPIT OUT the rinse water. Drink at least half a litre of water and seek medical advice. DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Upon breathing in

May cause chemical burns in mouth and throat if inhaled, as well as coughing and at high concentrations breathing difficulties.

May cause respiratory irritation.

#### Upon eye contact

Causes severe eye burns.

#### Upon skin contact

Chemical burns may occur.

Rash and itching.

Allergic reactions.

#### Upon ingestion

Ingestion triggers corrosion in oral cavity and pharynx, nausea and abdominal pain.

Harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

### 5.2. Special hazards arising from the substance or mixture

Corrosive gases can be spread during fire and substantial heating.

Gases detrimental to health can be spread in case of fire.

Note that the extinguishing water may be corrosive.

Avoid that water used for extinguishing fire reaches drains. Water used for extinguishing fire should be handled according to current regulations.

### 5.3. Advice for fire-fighters

When extinguishing fire, wear total-coverage clothing which protects against corrosive substances.

In case of fire use proper breathing apparatus.

Wear full protective clothing.

Contain and collect extinguishing liquid.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of spillage in protected water, call the emergency services immediately, tel. 112 (in Europe).  
Do not inhale vapours and avoid contact with skin, eyes and clothes when cleaning up the spillage.  
Keep unauthorized and unprotected people at a safe distance.  
Evacuate the accident area and call an ambulance, if relevant.  
Ensure good ventilation.  
Use recommended safety equipment, see section 8.  
Chemical protection suits should be worn for all salvage and decontamination work.

### 6.2. Environmental precautions

Avoid release to drains, soil or watercourses.  
Please contact involved authorities if unintended release occurs.

### 6.3. Methods and material for containment and cleaning up

Absorb the liquid with an inert absorbent, vermiculite, for example. Collect the material for disposal at a waste disposal facility.  
Residues left behind after cleaning shall be treated as hazardous waste. For further information, contact the local authority sanitation works. Present this safety data sheet.  
Ensure good ventilation after sanitation.

### 6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Store this product separately from food items and keep it out of the reach of children and pets.  
Do not eat, drink or smoke in premises where this product is handled.  
Do not inhale fumes and avoid contact with skin and eyes.  
Work in order to avoid spillage. If spillage does occur, address it immediately in accordance with the directions specified in Section 6 of this safety data sheet.  
Wash your hands after using the product.  
Remove contaminated clothing.  
Wash contaminated clothing before reuse.  
Use recommended safety equipment, see section 8.  
Handle and open container with care.  
Implement appropriate engineering controls if necessary, see Section 8.  
Keep away from incompatible products.

### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.  
Keep out of reach for children.  
Store separately from food and animal fodder, incl. utensils or surfaces which have been in contact with these things.  
Store in a well-ventilated and locked place.  
Store tightly, in original packaging.  
The package should be kept in plastic bins in order to prevent corrosive injuries from spillage.  
Keep away from heat and sunlight.  
Store in dry and cool area.  
Do not store close to incompatible materials (see section 10.5).

### 7.3. Specific end uses

See identified uses in Section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National limit values

##### 2-AMINOETHANOL

#### United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 1 ppm / 2.5 mg/m<sup>3</sup>

Short term exposure limit (STEL) 3 ppm / 7.6 mg/m<sup>3</sup>

Note Sk

Explanations of abbreviations are given in Section 16b

#### DNEL

##### 2-AMINOETHANOL

|          | Type of exposure    | Route of exposure | Value      |
|----------|---------------------|-------------------|------------|
| Consumer | Chronic<br>Systemic | Inhalation        | 2 mg/kg    |
| Worker   | Chronic<br>Systemic | Dermal            | 1 mg/kg    |
| Worker   | Chronic<br>Local    | Inhalation        | 3.3 mg/kg  |
| Worker   | Chronic<br>Systemic | Inhalation        | 3.3 mg/kg  |
| Consumer | Chronic<br>Local    | Inhalation        | 2 mg/kg    |
| Consumer | Chronic<br>Systemic | Oral              | 3.75 mg/kg |
| Consumer | Chronic<br>Systemic | Dermal            | 0.24 mg/kg |

#### PNEC

##### 2-AMINOETHANOL

|                                    |              |
|------------------------------------|--------------|
| Environmental protection target    | PNEC value   |
| Fresh water                        | 0.085 mg/l   |
| Freshwater sediments               | 0.425 mg/kg  |
| Marine water                       | 0.0085 mg/l  |
| Marine sediments                   | 0.0425 mg/kg |
| Microorganisms in sewage treatment | 100 mg/l     |
| Soil (agricultural)                | 0.035 mg/kg  |

### 8.2. Exposure controls

Select working methods to minimise skin contact.

Wash hands thoroughly after handling and before food intake or smoking.

The hazards that the product or its constituents entail must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

### 8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source. Emergency showers and eye-rinsing facilities must be available at the workplace.

### Eye/face protection

Use protective glasses with tight seals according to standard EN166.

### Skin protection

Use suitable total cover protective clothes.

Use protective gloves fulfilling the standard EN374 if there is a risk of direct contact.

Follow current local regulations for recommending protective gloves.

During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.

### Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

### 8.2.3. Environmental exposure controls

Work with the product should take place in such a way that the product does not get into drains, waterways, soil and air.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| a) Appearance                                   | Form: liquid. Colour: white.           |
| b) Odour  | Not indicated                          |
| c) Odour threshold                              | Not indicated                          |
| d) pH   | Not indicated                          |
| e) Melting point/freezing point                 | Not indicated                          |
| f) Initial boiling point and boiling range      | Not indicated                          |
| g) Flash point                                  | Not indicated                          |
| h) Evaporation rate                             | Not indicated                          |
| i) Flammability (solid, gas)                    | Not applicable                         |
| j) Upper/lower flammability or explosive limits | Not indicated                          |
| k) Vapour pressure                              | Not indicated                          |
| l) Vapour density                               | Not indicated                          |
| m) Relative density                             | Not indicated                          |
| n) Solubility                                   | Solubility in water: Partially soluble |
| o) Partition coefficient: n-octanol/water       | Not applicable                         |
| p) Auto-ignition temperature                    | Not indicated                          |
| q) Decomposition temperature                    | Not indicated                          |
| r) Viscosity                                    | Not indicated                          |
| s) Explosive properties                         | Not applicable                         |
| t) Oxidising properties                         | Not applicable                         |

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

### 10.2. Chemical stability

The product is stable at normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

### 10.4. Conditions to avoid

Protect from heat and direct sunlight.

### 10.5. Incompatible materials

Avoid contact with strong acids and bases.  
Avoid contact with strong oxidizing agents.

### 10.6. Hazardous decomposition products

In case of fire, corrosive gases might form.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Ingestion may cause burning of the mouth and throat, nausea and vomiting, and can result in decreased general condition and circulatory shock.

#### Acute toxicity

Harmful if swallowed.

#### AMMONIUM MERCAPTOACETATE

LD50 rat 24h: < 1430 mg/kg Dermal  
LD50 rat 24h: 1 - 142 mg/kg Orally

#### 2-AMINOETHANOL

LD50 rabbit 24h: 1025 mg/kg Dermal  
LC50 rat 4h: 11 mg/L Inhalation  
LD50 rat 24h: 1720 mg/kg Orally

#### AMMONIA ...%

LC50 rat 4h: 1.4 mg/L Inhalation  
LD50 rat 24h: 350 mg/kg Orally

#### Skin corrosion/irritation

The product is corrosive.

#### Serious eye damage/irritation

Causes severe eye burns.

#### Respiratory or skin sensitisation

May cause sensitisation by skin contact.

#### Germ cell mutagenicity

The product is not classified as mutagen.

#### Carcinogenicity

The product is not classified as carcinogenic.

#### Reproductive toxicity

The product is not classified as a reproductive toxicant.  
The product contains low levels of reproductive toxicant.

#### STOT-single exposure

May cause irritation to the respiratory tract.  
Irritation or burns may occur in the respiratory tract if inhaled or ingested.

#### STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

#### Aspiration hazard

The product is not classified as being toxic for aspiration.

## SECTION 12: Ecological information

### 12.1. Toxicity

Prevent release on land, in water and drains.  
The product is not to be labelled as an environmental hazard. However, it is not inconceivable that large emissions, or repeated small emissions, can have a harmful effect on the environment.

#### 2-AMINOETHANOL

LC50 Rainbow trout (*Oncorhynchus mykiss*) 96h: 150 mg/L  
EC10 Bacteria 17h: 87 mg/l  
LC50 Bluegill (*Lepomis macrochirus*) 96h: 329 mg/l  
EC50 Freshwater water flea (*Daphnia magna*) 48 h: 65 mg/L  
EC50 Algae 72 h: 15 mg/l  
EC50 Freshwater water flea (*Daphnia magna*) 24h: 1 - 140 mg/L

LC50 common carp (Cyprinus carpio) 96h: 349 mg/L

#### 12.2. Persistence and degradability

There is no information regarding persistence or degradability.

#### 12.3. Bioaccumulative potential

There is no information regarding bioaccumulation.

#### 12.4. Mobility in soil

Information about mobility in nature is not available.

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6. Other adverse effects

No known effects or hazards.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste handling of the product

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

Avoid discharge into sewers.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

## SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

### 14.1. UN number

2491

### 14.2. UN proper shipping name

ETHANOLAMINE SOLUTION

### 14.3. Transport hazard class(es)

#### Class

8: Corrosive substances

#### Classification code (ADR/RID)

C7: Corrosive substances without subsidiary risk: Basic substances: Organic, liquid

#### Subsidiary risk (IMDG)

No subsidiary risk according to IMDG

#### Labels



### 14.4. Packing group

Packing group III

### 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

#### Tunnel restrictions

Tunnel category: E

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

### 14.8 Other transport information

Transport category: 3; Maximum total quantity per transport unit: 1000 kgs or litres (ADR 1.1.3.6)

Stowage category A (IMDG)

Emergency Schedule (EmS) for FIRE (IMDG) F-A

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

### 15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

## SECTION 16: Other information

### 16a. Indication of where changes have been made to the previous version of the safety data sheet

#### Revisions of this document

This is the first version

### 16b. Legend to abbreviations and acronyms used in the safety data sheet

#### Full texts for Hazard Class and Category Code mentioned in section 3

|                             |  |
|-----------------------------|--|
| Met Corr 1                  | May be corrosive to metals (Category 1)  |
| Acute Tox <i>3oral</i>      | Acute toxicity (Category 3 oral)   |
| Skin Sens 1                 | May cause an allergic skin reaction (Category 1)   |
| Acute Tox <i>4dermal</i>    | Acute toxicity (Category 4 skin)   |
| Acute Tox <i>4oral</i>      | Acute toxicity (Category 4 oral)   |
| Acute Tox <i>4vapour</i>    | Acute toxicity (Category 4 vapours)  |
| Skin Corr 1B                | Corrosive (Category 1B)  |
| Eye Irrit 2                 | Irritates eyes (Category 2)  |
| Aquatic Acute 1             | Very toxic to aquatic life (Category Acute 1)  |
| Acute Tox <i>4dust-mist</i> | Acute toxicity (Category 4 dust/mist)  |
| Repr 2                      | Suspected to be damaging to fertility or unborn children (Category 2 Effect and exposure path unknown) |
| STOT RE 2                   | Specific target organ toxicity - repeated exposure (Category 2)  |

#### Explanations of the abbreviations in Section 8

#### United Kingdom (EH40/2005 (Third edition, published 2018))

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity

#### Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road  
RID Regulations concerning the International Transport of Dangerous Goods by Rail  
IMDG International Maritime Dangerous Goods Code  
ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)  
IATA The International Air Transport Association  
Tunnel restriction code: E; Passage through category E tunnels is strictly forbidden  
Transport category: 3; Maximum total quantity per transport unit: 1000 kgs or litres (ADR 1.1.3.6)

#### **16c. Key literature references and sources for data**

##### **Sources for data**

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2020-08-20.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

##### **Full texts for Regulations mentioned in this Safety Data Sheet**

- 1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- 2015/830 COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- EH40/2005 EH40/2005 Workplace exposure limits
- 2008/98 DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives
- 1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

#### **16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification**

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

## 16e. List of relevant hazard statements and/or precautionary statements

### Full texts for hazard statements mentioned in section 3

H290 May be corrosive to metals

H301 Toxic if swallowed

H317 May cause an allergic skin reaction

H312 Harmful in contact with skin

H302 Harmful if swallowed

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage

H319 Causes serious eye irritation

H400 Very toxic to aquatic life

H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>

H373 May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>

## 16f. Advice on any training appropriate for workers to ensure protection of human health and the environment

### Warning for misuse

This product can cause severe injuries if used improperly. Read and follow carefully the instructions in this safety sheet and other appropriate risk information. At professional use the employer is responsible for the staff being well aware of the risks.

### Other relevant information

Not indicated

### Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, [www.kemrisk.se](http://www.kemrisk.se)