

SAFETY DATA SHEET

In accordance with 1907/2006 annex II and 1272/2008
(All references to EU regulations and directives are abbreviated into only the numeric term)
Amendment date 2022-03-09
Replaces SDS issued 2022-01-04
Revision date 2022-01-04
Version number 3.1



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Base Gel
Article number	G0105

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Nail technology
-----------------	-----------------

1.3. Details of the supplier of the safety data sheet

Company	Lilly Nails AB Stationsvägen 1F 43537 Mölnlycke Sweden
Telephone	0730-46 74 20
E-mail	order@lillynails.se

1.4. Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Irrit. 2, H315
Skin. Sens. 1, H317
Eye Irrit. 2, H319
STOT SE 3, H335
Aquatic Chronic 3, H412
(See section 16)

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazard statements

H315

Causes skin irritation

H317

May cause an allergic skin reaction

H319

Causes serious eye irritation

H335

May cause respiratory irritation

H412

Harmful to aquatic life with long lasting effects

Precautionary statements

P261

Avoid breathing mist or vapours

P273

Avoid release to the environment

P280

Wear protective gloves, protective clothing and eye or face protection

P312

Call a doctor if you feel unwell

P403+P233

Store in a well-ventilated place. Keep container tightly closed

P501

Dispose of contents and container to authorised waste disposal facility

Supplemental hazard information

Contains: POLYESTER URETHANE ACRYLATES, DI-HEMA TRIMETHYLHEXYL DICARBAMATE, METHYL BENZOYLFORMATE

2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
POLYESTER URETHANE ACRYLATES		
	Skin Irrit. 2, Eye Irrit. 2, Skin. Sens. 1A; H315, H319, H317	50 - 75 %
DI-HEMA TRIMETHYLHEXYL DICARBAMATE		
CAS No: 72869-86-4 EC No: 276-957-5	Skin Irrit. 2, Eye Irrit. 2, Skin. Sens. 1A, STOT SE 3, Aquatic Chronic 3; H315, H319, H317, H335, H412	25 - 50 %
METHYL BENZOYLFORMATE		
CAS No: 15206-55-0 EC No: 239-263-3	Skin. Sens. 1; H317	1 - 5 %
HYDROQUINONE		
CAS No: 123-31-9 EC No: 204-617-8 Index No: 604-005-00-4	Acute Tox. 4, Eye Dam. 1, Skin. Sens. 1, Muta. 2, Carc. 2, Aquatic Acute 1, M = 10; H302, H318, H317, H341, H351, H400	≤0.1 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

SECTION 4: First aid measures

4.1. Description of first aid measures

Generally

In case of concern, or if symptoms occur, call a doctor/physician.

Upon breathing in

Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Allow the injured person to rest in a warm place with fresh air, if symptoms persist seek medical advice.

Upon eye contact

Remove contact lenses immediately if possible.

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor/ophthalmologist.

Upon skin contact

Remove contaminated clothes.

Clean with soap and abundant water. Please contact a doctor.

Wash contaminated clothing before reuse.

Upon ingestion

Rinse mouth out thoroughly first with water, then SPIT OUT the rinse water. Drink at least half a litre of water and seek medical advice. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Upon breathing in

May cause respiratory irritation.

Upon eye contact

Irritation.

Lacrymation.

Upon skin contact

Irritation.

Allergic reactions.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended extinguishing agents

Extinguish with materials intended for the surrounding fire.

Unsuitable extinguishing agents

Among common extinguishing agents there are none that are overtly unsuitable.

5.2. Special hazards arising from the substance or mixture

Produces thick, black fumes containing hazardous combustion products when burning.

High temperatures and fire can lead to polymerisation, which may cause the packaging to explode.

Note, risk for discharge of environmentally harmful substances.

5.3. Advice for firefighters

Protective measures should be taken regarding other material at the site of the fire.

In case of fire use proper breathing apparatus.

When extinguishing a fire, use over-all coverage clothing which protects against toxic substances.

Contain and collect extinguishing liquid.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of spillage in protected water, call the emergency services immediately, tel. 112 (in Europe).
Avoid inhalation and exposure to skin and eyes.
Keep unauthorized and unprotected people at a safe distance.
Use recommended safety equipment, see section 8.
Ensure good ventilation.

6.2. Environmental precautions

Avoid release to drains, soil or watercourses.
Please contact involved authorities if unintended release occurs.

6.3. Methods and material for containment and cleaning up

Absorb the liquid with an inert absorbent, vermiculite, for example. Collect the material for disposal at a waste disposal facility.

6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Store this product separately from food items and keep it out of the reach of children and pets.
Do not eat, drink or smoke in premises where this product is handled.
Do not inhale the product and avoid exposure to skin, eyes and clothing.
Work in order to avoid spillage. If spillage does occur, address it immediately in accordance with the directions specified in Section 6 of this safety data sheet.
Take the necessary preventive and protective measures for safe handling.
Wash your hands after using the product.
Remove contaminated clothing.
Wash contaminated clothing before reuse.
Take off work clothes and protective gear before meals.
Use recommended safety equipment, see section 8.
Keep away from incompatible products.

7.2. Conditions for safe storage, including any incompatibilities

Take the necessary preventive and protective measures for safe storage.
Keep out of reach for children.
Store separately from food and animal fodder, incl. utensils or surfaces which have been in contact with these things.
Store tightly, in original packaging.
Always use sealed and visibly labeled packages.
Store in a well-ventilated space.
Keep upright.
Store in dry and cool area.
Keep away from heat and sunlight.
Do not store close to incompatible materials (see section 10.5).

7.3. Specific end use(s)

See identified uses in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

HYDROQUINONE

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 0.5 mg/m³

**DNEL
HYDROQUINONE**

	Type of exposure	Route of exposure	Value
Consumer	Chronic Systemic	Inhalation	1.74 mg/m ³
Worker	Chronic Systemic	Dermal	128 mg/kg
Worker	Chronic Local	Inhalation	1 mg/m ³
Worker	Chronic Systemic	Inhalation	7 mg/m ³
Consumer	Chronic Local	Inhalation	0.5 mg/m ³
Consumer	Chronic Systemic	Dermal	64 mg/kg

**PNEC
HYDROQUINONE**

Environmental protection target	PNEC value
Fresh water	0.114 mg/l
Freshwater sediments	0.98 µg/kg
Marine water	0.0114 µg/L
Marine sediments	0.097 µg/kg
Microorganisms in sewage treatment	0.71 mg/l
Soil (agricultural)	0.129 µg/kg
Intermittent	0.00134 mg/l

8.2. Exposure controls

To prevent occupational risks the health hazards for this product or any of the ingredients should be taken into account (see sections 2, 3 and 11), according to EU Directive 89/391 and 98/24 and national jurisdiction for occupational risks.

Wash hands thoroughly after handling and before food intake or smoking.

Remove contaminated clothing, footwear, watches, etc. and clean thoroughly before re-using them.

Select working methods to minimise skin contact.

8.2.1. Appropriate engineering controls

Handle in premises with good ventilation.

Emergency showers and eye-rinsing facilities must be available at the workplace.

Eye/face protection

Use protective glasses with tight seals according to standard EN166.

Skin protection

Use protective gloves fulfilling the standard EN374 if there is a risk of direct contact.

During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.

The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.

Use suitable protective clothing.

Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

8.2.3. Environmental exposure controls

Work with the product should take place in such a way that the product does not get into drains, waterways, soil and air.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	liquid Form: liquid
(b) Colour	Clear
(c) Odour	characteristic
(d) Melting point/freezing point	Not indicated
(e) Boiling point or initial boiling point and boiling range	Not indicated
(f) Flammability	Not indicated
(g) Lower and upper explosion limit	Not indicated
(h) Flash point	100 °C
(i) Auto-ignition temperature	Not indicated
(j) Decomposition temperature	Not indicated
(k) pH	Not indicated
(l) Kinematic viscosity	Not indicated
(m) Solubility	Solubility in water: Insoluble
(n) Partition coefficient n-octanol/water (log value)	Not indicated
(o) Vapour pressure	Not indicated
(p) Density and/or relative density	1.10
(q) Relative vapour density	Not indicated
(r) Particle characteristics	Not indicated

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not indicated

9.2.2. Other safety characteristics

Not indicated

SECTION 10: Stability and reactivity

10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

10.2. Chemical stability

The product is stable at normal storage and handling conditions.

10.3. Possibility of hazardous reactions

Danger of bursting of closed systems to vigorous exothermic polymerization. Avoid uncontrolled polymerization.

10.4. Conditions to avoid

Protect from heat and direct sunlight.

10.5. Incompatible materials

Avoid contact with oxidizers.

Avoid contact with strong acids.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

Acute toxicity

The product is not classified as acutely toxic.

HYDROQUINONE

LD50 rat 24h: > 900 mg/kg Dermal

LD50 rat 24h: 320 mg/kg Orally

Skin corrosion/irritation

May cause skin irritation.

Serious eye damage/irritation

Eye contact may cause burning pain or irritation.

Respiratory or skin sensitisation

May cause sensitisation by skin contact.

Germ cell mutagenicity

The criteria for classification cannot be considered fulfilled based on available data.

The product has a low content of a compound suspected of being mutagenic.

Carcinogenicity

The criteria for classification cannot be considered fulfilled based on available data.

The product contains low quantities of a suspected carcinogenic substance.

Reproductive toxicity

The product is not classified as a reproductive toxicant.

STOT-single exposure

May cause irritation to the respiratory tract.

STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

Aspiration hazard

The product is not classified as being toxic for aspiration.

11.2. Information on other hazards**11.2.1. Endocrine disrupting properties**

Not indicated.

11.2.2. Other information

Not indicated.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Prevent release on land, in water and drains.

HYDROQUINONE

LC50 fathead minnow (*Pimephales promelas*) 96h: 0.044 mg/L

EC50 Freshwater water flea (*Daphnia magna*) 24h: 0.12 mg/L

IC50 Algae (*Pseudokirchneriella subcapitata*) 72h: 0.335 mg/l

EL50 Bacteria 0.5h: 0.038 mg/l

12.2. Persistence and degradability

The product is persistent.

12.3. Bioaccumulative potential

This product or some of its ingredients are suspected to accumulate in nature.

12.4. Mobility in soil

Absorbed into soil.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

12.6. Endocrine disrupting properties

Not indicated.

12.7. Other adverse effects

No known effects or hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste handling of the product

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

Avoid discharge into sewers.

Observe local regulations.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

14.1. UN number or ID number

Not classified as dangerous goods

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

14.8 Other transport information

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

SECTION 16: Other information

16a. Indication of where changes have been made to the previous version of the safety data sheet

Revisions of this document

Earlier versions

2022-01-04 Changes in section(s) 1.

16b. Legend to abbreviations and acronyms used in the safety data sheet

Full texts for Hazard Class and Category Code mentioned in section 3

Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2 - Skin Irrit. 2, H315 - Causes skin irritation
Eye Irrit. 2	Serious eye damage/eye irritation, Hazard Category 2 - Eye Irrit. 2, H319 - Causes serious eye irritation
Skin. Sens. 1A	Respiratory or skin sensitisation, Sensitisation — Skin, hazard category 1A - Skin. Sens. 1A, H317 - May cause an allergic skin reaction
STOT SE 3	Specific target organ toxicity — Single exposure, Hazard Category 3, Respiratory tract irritation - STOT SE 3, H335 - May cause respiratory irritation
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3 - Aquatic Chronic 3, H412 - Harmful to aquatic life with long lasting effects
Skin. Sens. 1	Respiratory or skin sensitisation, Sensitisation — Skin, hazard category 1 - Skin. Sens. 1,

	H317 - May cause an allergic skin reaction
Acute Tox. 4	Acute toxicity (oral), Hazard Category 4 - Acute Tox. 4, H302 - Harmful if swallowed
Eye Dam. 1	Serious eye damage/eye irritation, Hazard Category 1 - Eye Dam. 1, H318 - Causes serious eye damage
Muta. 2	Germ cell mutagenicity, Hazard Category 2 - Muta. 2, H341 - Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
Carc. 2	Carcinogenicity, Hazard Category 2 - Carc. 2, H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
Aquatic Acute 1, M = 10	Hazardous to the aquatic environment — Acute Hazard, Category 1 - Aquatic Acute 1, M = 10, H400 - Very toxic to aquatic life

Explanations of the abbreviations in Section 14

ADR	European Agreement concerning the International Transport of Dangerous Goods by Road
RID	Regulations concerning the International Transport of Dangerous Goods by Rail
IMDG	International Maritime Dangerous Goods Code
ICAO	International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)
IATA	The International Air Transport Association

16c. Key literature references and sources for data

Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2022-03-09.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
1272/2008	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
2008/98/EC	DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives

16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

16e. List of relevant hazard statements and/or precautionary statements

Full texts for hazard statements mentioned in section 3

H315	Causes skin irritation
H319	Causes serious eye irritation
H317	May cause an allergic skin reaction
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
H302	Harmful if swallowed
H318	Causes serious eye damage
H341	Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
H351	Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
H400	Very toxic to aquatic life

16f. Advice on any training appropriate for workers to ensure protection of human health and the environment

Warning for misuse

This product can cause severe injuries if used improperly. Read and follow carefully the instructions in this safety sheet and other appropriate risk information. At professional use the employer is responsible for the staff being well aware of the risks.

Other relevant information

Not indicated

Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, www.kemrisk.se